

ASSESSMENT METHODOLOGIES FOR WATER REUSE SCHEME AND TECHNOLOGY

A. Listowski

Faculty of Engineering, University of Technology Sydney, Australia

H. H. Ngo

Faculty of Engineering, University of Technology Sydney, PO BOX 123, Broadway, NSW 2007, Australia

W. S. Guo

Faculty of Engineering, University of Technology Sydney, PO BOX 123, Broadway, NSW 2007, Australia

S. Vigneswaran

Faculty of Engineering, University of Technology Sydney, PO BOX 123, Broadway, NSW 2007, Australia

C. G. Palmer

Institute of Water and Environmental Resource Management, University of Technology Sydney, PO BOX 123, Broadway, NSW 2007, Australia

Keywords: assessment methodologies, assessment framework, water reuse scheme and technology

Contents

1. Introduction
2. Assessment Methodologies
 - 2.1 Life Cycle Analysis
 - 2.1.1 Life Cycle Inventory Analysis
 - 2.1.2 Life Cycle Impact Analysis
 - 2.2 Material Flow Analysis
 - 2.3. Ecological Footprint Analysis
 - 2.3.1. Method and Development
 - 2.3.2. Eco-efficiency
 - 2.4. Health Risk Assessment
 - 2.5. Energy Consumption and Economic Analysis
 - 2.5.1. Energy Consumption
 - 2.5.2. Economic analysis
 - 2.6. Social Impact Analysis
 - 2.6.1 Public Uncertainties
 - 2.6.2 Perception
 - 2.6.3 Public Health and Safety Risk
3. Framework for Technology Evaluation for Wastewater Treatment and Reuse
 - 3.1 Background
 - 3.2 Performance Assessment Criteria
4. Conclusions

Acknowledgement

Glossary

Bibliography

Biographical Sketches

Summary

This chapter illustrates the most basic assessment methodologies as decision support system and assessment framework for water reuse scheme and technology evaluation. It includes the analyses of life cycle, material flow, ecological footprint, health risk, energy consumption and economic and social impact in order to form rational concepts and approaches towards a comprehensive assessment method for water reuse.

1. Introduction

Water reuse has developed from a basic method of disposing wastewater without any treatment to currently highly engineered wastewater treatment techniques. Due to the limited water resources, typically water stressed countries in dry climates like Australia, Israel and the State of California have developed wastewater reuse strategies and programs acknowledging the beneficial role wastewater reuse can play in integrated water management (Rubin, 2001; D of WR, 2003; MacDonald, 2004).

Wastewater reuse has progressively developed from a traditional method of wastewater collection and disposal without any treatment to an advanced highly engineered treatment, upgrading technologies, wastewater management and augmentation of water resources (Hochstrat et al., 2005).

One of the major challenges faced by the water industry when examining water reuse services is lack of comprehensive assessment method, a defined set of sustainability assessment criteria and definitive measurable indicators that can embrace the principles of sustainability such as consideration of economic, social and environmental issues of water service provision, considered as an integrated life cycle, multi-criteria approach, technology, public health risk (Holz, et al, 2004).

There are several methodologies in which the principal water reuse schemes can be assessed. Integrated assessments methodologies are more broadly targeted than discipline-specific assessments. They attempt to pull together dissimilar types of information into a cohesive and comprehensible format. Such integrated assessments could be conducted for several alternative treatment systems, thus resulting in a comparative integrated assessment (Jones et. al., 2000).

Integrated assessment is commonly thought of as a model or better defined as a process for bringing various disciplines together to derive information and insights that would not otherwise be possible. The assessment methodologies for water reuse generally include: (i) space (e.g., across a watershed), (ii) time (e.g., across the life of a system), (iii) sources of risk (e.g., other activities in a watershed), (iv) results (e.g., direct effects causing indirect effects), and (v) multiple endpoints (e.g. engineering costs and social impacts) (John et al., 2000).

Wastewater reuse, resource conservation and pollution prevention requires consideration of the processes in terms of the product extraction - refining - manufacturing - distribution - consumption - disposal scheme based on decision making techniques (Carnegie Mellon University, 2003).

The wastewater recycling and reuse generates a certain degree of risk for humans and the environment, such risk could be assessed and appropriately managed. (AQUAREC, 2006). Quality assurance model, defined as the procedural and operational framework and assessment methodology has potential to address a number of complex, usually multidisciplinary processes associated with water reuse.

Consequently, a certain modeling work has been developed, aiming at supporting the assessment process. Modeling for water management has significantly changed from mono-disciplinary models to describe relatively simple problems in the areas of hydrodynamics, groundwater, surface water quality or ecology, to more multidisciplinary and complex approaches to solving water management problem including socio-economic impact assessments.

Model-based decision support requires the expertise from various domains and would typically be performed by teams consisting of persons with a variety of disciplinary backgrounds (Scholten et al., 2006).

The most basic methodologies used for assessment of water reuse are as follows:

- Life Cycle Analysis
- Material Flow Analysis
- Ecological Footprint Analysis
- Health Risk Analysis
- Energy Consumption and Economic Analysis
- Social Impact Analysis

2. Assessment Methodologies

2.1 Life Cycle Analysis

Life cycle assessment (Figure 1) can be described as a methodology, which allows for the estimation and calculation of environmental impacts that occur during the life cycle of a product (Rebitzer, et al, 2004). The immediate precursors of life cycle analysis and assessment (LCAs) were the global modelling studies and energy audits of the late 1960s and early 1970s.

These attempted to assess the resource cost and environmental implications of different patterns of human behaviour (Rubin, 2001). Life-cycle approach is a way of addressing environmental issues and opportunities from a system or holistic perspective and evaluating a product or service system with the goal of reducing potential environmental impacts over its entire life-cycle (Blumenfeld et. al., 2003).




Figure 1 Holistic Life-cycle approach represents a simplified product life cycle concept, which includes loops between the several life phases

Life Cycle Analysis (LCA) is a technique used to assess the environmental impacts of a product over its entire life cycle. Figure 2 depicts the stages in a product life cycle (AQUAREC, 2006). At each of the five sections the inputs include materials, energy and natural resources and the output is waste products. Through each of these five sections the inventory analysis calculates the amount of energy and materials going in, as well as analyzing the outputs exiting, including intended products, by-products and energy released (Rubin, 2001).




Figure 2 General materials flow for "cradle-to-grave" analysis of a product system

LCAs are used to evaluate the environmental impacts of products at every stage from material extraction to disposal of the used product. A unique feature of the life cycle assessment process is the investigation of a product or processes impacts from 'the cradle to the grave' (Harding, 2002). A life cycle assessment process looks specifically at the inputs, such as the raw materials and outputs, such as waste products (AS/ NZS ISO 14040, 1998). Currently, the applications of life cycle assessments are diverse and include waste management, policy making and strategic planning (Fatta and Moll, 2003) and could be used to evaluate different environmental loads with different technical resolutions (Lundin, *et al*, 2000).

LCA could be determined by the input and output parameters that also recognize and clearly define functional system boundaries. There are some advantages and disadvantages associated with the use of life cycle assessments compared with other environmental tools. One advantage is the formal nature of the life cycle assessment, meaning that it is possible to come to a rational decision when trying to determine which alternative is environmentally better (Fatta and Moll, 2003). For instance, in determining which is environmentally better between wastewater treatment and ocean outfall a life cycle assessment could be used to find the best option. Life cycle assessment also has the ability to predict potential environmental impacts before they occur, which can assist decision makers.

The two major analyses of LCA are as follows:

2.1.1 Life Cycle Inventory Analysis

The general concept of inventory analysis is to complete list of all inputs and outputs that occur during a system process at each stage (Figure 3). This process quantifies the energy and raw materials that go into each stage, including transportation and outputs of products as well as all environmental releases (Ciambrone, 1997). The stages of LCA inventory are:

- Definition of system and system boundaries
- List of raw materials, their sources, energy involved in extraction, wastes and effluents produced
- Steps of processing the raw materials, stages involving combination of raw materials and manufacturing process
- Possibilities for recycling materials during processing and manufacture
- Accounting of energy and effluents from each of these steps
- Distribution and Transportation needed for the product to reach the consumer
- Energy used and material waste and effluents produced during use and maintenance
- Possibilities of reuse of whole product or parts
- Possibilities of recycling of materials and the energy expenditure and effluent production in the recycling process.




Figure 3. Life cycle inventory

2.1.2 Life Cycle Impact Analysis

After the inventory analysis is finalized, the next stage is to document the impacts. These analyses characterize the environmental loading and assess what ecological and human health impacts each loading would cause. In assessing impacts, it would be required to list and prioritise the impacts of concern such as land loss, water pollution, global climate change, deforestation, and human or ecological health hazards etc. As well as the above limitations, there are also difficulties mainly related to the large volume of data required and the time and cost associated with gathering it. Due to these problems, a full life cycle assessment is often considered to be an unfeasible option for smaller designers and manufacturers (Yencken and Wilkinson, 2000).

Additionally, Life Cycle Improvement Analysis is another tool in LCA to systematically assess how the environmental loading and impacts could be reduced without losing the quality of the product (Frosh et al., 2003).

2.2 Material Flow Analysis

Material flow analyses are analytical environmental tools, which can be defined as 'a systematic assessment of the flows and stocks of material within a system defined in space and time' (Brunner and Rechberger, 2004). Material flow analysis has a long history, with the concept of material flow analysis dating back to the Greek philosophers 2000 years ago. Since then material flow analysis has been used in a range of fields including medicine, chemistry and economics, but it was first used as an environmental tool in the 1970's. Material flow analysis differs from other environmental tools, such as the life cycle assessment, as material flow analysis only follows the flow of material for a set period of time, while the life cycle assessment follows the product from 'cradle to grave' (Barrett, 2001). In the context of recycled

products, such as water, material flow analysis can be used to trace the product through the economy in order to determine the best recycling system in terms of economic sustainability (Yencken and Wilkinson, 2000).

Like other environmental tools, material flow analysis looks at inputs and outputs into a system. In general the input parameters are considered to be flows entering the system, while the output parameters are flows leaving the system. Using the example of a sewage treatment plant the main input can be seen as wastewater, while the main outputs included treated wastewater and sewage sludge, with other minor outputs such as off- gas and sediment (Brunner and Rechberger, 2004). The flows of wastewater and treated water are recorded as they enter and leave the plant, and the flow of sewage sludge is recorded by total volume removed from the treatment plant. The result of this is a material flow diagram similar to Figure 4.




Figure 4 A simple material flow analysis for a sewage treatment plant

The most obvious benefit associated with material flow analysis is related to its ability to track of flows and stocks within a system. Without this understanding the process could be costly, in both time and money, as it would be difficult to focus on priority pathway, which can now be found by monitoring the flows. However, it needs to be kept in mind that when investigating the treatment of wastewater material flow analysis would probably look at the whole water cycle, instead of considering the sewage and water systems separately. Another benefit of material flow analysis is it can be used as a decision support tool, which is because it takes into account all the material flows within a system. An important benefit that material flow analysis has above other environmental tools is its transparency, as it details the input and output of the materials (Robèrt, et al, 2002).

A disadvantage of material flow analysis is that it is not alone an adequate environmental tool to measure or maintain engineering or management processes. This is because the interpretation of the material flow analysis is subjective, as it is based on political and social factors. Material flow analysis could be undertaken as a static assessment of the flows within a system. The information required to calculate the material flow analysis of a water recycling system is controlled by the inputs and

outputs. In water recycling facilities the typical material input is wastewater and the typical output product is recycled water, as well as a by-product of sludge (Brunner and Rechberger, 2004).

One way to calculate the material flow analysis for a water recycling system is by using the ORWARE model. ORWARE or Organic Waste Research model is specifically designed to evaluate material flows in wastewater systems (Ramírez, et al, 2000).

This model in particular is considering waste management and recycling from a systems viewpoint. However, ORWARE is primarily used for research, rather than used by local authorities, as originally planned as it is not a user friendly model (Eriksson, et al, 2002).

Natural resources are materials that are found in nature in their basic form rather than being manufactured (e.g., water, minerals, petroleum and wood). Renewable (or flow) resources, which are those that can be regenerated, are typically biotic resources (e.g., forest products, other plants or animals) and water.

Nonrenewable (or stock) resources are abiotic, such as mineral ore or fossil fuels. Both of these natural resource impacts are calculated using the loading approach (University of Tennessee, 2002).

Renewable and nonrenewable resource consumption impacts use direct consumption values (i.e., material mass) from the inventory. Renewable resource impact scores are based on the following process inputs in the LCI: primary, ancillary, water, and fuel inputs of renewable materials.

The model considers waste management and recycling from a systems viewpoint. ORWARE model is primarily used for research purposes, rather than used by plant operators (Eriksson, *et al*, 2002).

According to principle of life cycle assessment; materials, products, production process and the generation of pollutants should be examined from the following perspective:

- *toxicity* -- we should not use the materials which are harmful to environment.
- *ecology influence* -- we should aim to increase the ecological efficiency
- *the character of regeneration* -- we should use the materials which are regenerative.
- *the intensity of energy* -- we should aim to use the material which are lower intensity of energy including the consumption of energy in the obtaining these energy materials.
- *reusability* -- we should aim to use the material which can be reused.
- *increase life of products* – we should aim to use products over longer period of time
- *pollutant generation* - we should consider the total quantity of wastewater generation, because it can reflect the level of management and technology. We must also consider the concentration of the wastewater, so the target of wastewater generation made up of the quantity of wastewater generation and the main pollutants in water to produce one product (Gao, 2006).

-
-
-

TO ACCESS ALL THE 41 PAGES OF THIS CHAPTER,
Visit: <http://www.eolss.net/Eolss-sampleAllChapter.aspx>

Bibliography

Ajzen, I. Nature and operation of attitudes. *Annual Review of Psychology*, 52, 27-58, 2001. [Survey of attitude theory and research published between 1996 and 1999].

AQUAREC, Integrated Concepts for Reuse of Upgraded Wastewater, *Report on Integrated Water Reuse Concepts*, 2006 [A research project supported by the European Commission under the Fifth Framework Program].

Arrow K., Bolin B., Costanza R., Dasgupta P., Folke C., Holling C.S., Jansson B.-O., Levin S., Mäler K.-G., Perrings C. and Pimentel D. Economic growth, carrying capacity and the environment. *Science*, 520-521, 1995[Discusses the economic growth and prevention of environmental degradation].

AS/NZS ISO 14031(Int): Environmental management - Environmental performance evaluation - Guidelines, 1998.[New ISO standard ISO 14031 on environmental performance evaluation].

AS/NZS ISO 14040:1998 Environmental Management, Life cycle assessment, Principles and framework, Guidelines, 1998.[New ISO standard ISO 14031 on environmental performance evaluation].

Asano, T., Levine, A.D. Wastewater reclamation, recycling and reuse: past, present, and future, *Water Science and Technology*, 33 (10–11), 1–14, 1996.[The role of engineered systems associated with reclaimed wastewater is discussed in the context of the natural hydrologic cycle].

Asano, T. *Wastewater Reclamation and Reuse*, Lancaster, PA, 1998.[Important aspect to implement a water reuse project is the feasibility study that was previously developed].

Asano, T. *Water from (waste) water -the Dependable Water Resource*, Stockholm Water Symposium, 2001.[Re-using urban wastewater – an alternative and a reliable water resource].

Atkinson-Barr, M., *Questions the prudence of using reclaimed water at school campuses*, Agoura Hills, CA, 2001[Risks from using highly treated reclaimed water for. potable purposes].

Ayres, R. U. Commentary on the utility of the ecological footprint concept, *Ecological Economics*, 32, 347-349, 2000[A valuable educational tool that has enriched sustainability debate] .

Babtie, J., Report and Opinion on the Scope for Widescale Adoption of Lower Cost New Technologies and Practices in the Water Industry. Final Report. *Babtie Environmental*, 1998.[Study in wide scale adoption of lower cost new technologies].

Bakker, A. B., Buunk, B. P., and Manstead, A. S. The moderating role of self-efficacy beliefs in the relationship between anticipated feelings of regret. *Journal of Applied Psychology*, 27, 2001-2014, 1997[Communication research].

Balkema, A. J., Preisig, H. A., Otterpohl, R. and Lambert, F. J. D. Indicators from sustainable assessment of wastewater treatment systems, *Urban Water*, 4, 153-161, 2002 [Overview of sustainability assessment methods and currently used indicators].

Barnthouse, L., Fava, J., Humphreys, K., Hunt, R., Laibson, L., Noesen, S., Owens, J., Todd, J., Vigon, B., Weitz, K., Young. J. *Life-Cycle Impact Assessment: The State-of-the-Art*. Society of Environmental Toxicology and Chemistry. Pensacola, FL.1997[Evolution and development of the conceptual framework and methodology of life-cycle impact].

Barrett, J. and Scott, A. The ecological footprint: a metric for corporate sustainability, Corporate

Environmental Strategy, 8, 316-325, 2001[Application of different sustainability indicators].

Beckwith, J. A. E. *Judgement Strategies in Determining Risk Acceptability. Unpublished doctoral dissertation*, Curtin University of Technology, Perth, Western Australia, 1996[A summary of Australian and international experience on water reuse experience, particularly public perception].

Bennett, M., James, P. *The Green Bottom Line: Environmental accounting for management—current practice and future trends*, Sheffield, England: Greenleaf Press, 1998 [Integrating sustainability and investigations of the relationship between Clean Production developments and innovations in relation to information requirements and accounting].

Blumenfeld, K., Ralph Earle III, Jonathan B. Shopley Identifying Strategic Environmental Opportunities: A Life Cycle Approach, Arthur D. Little, 2003[Raising the awareness and understanding of the opportunities for and obstacles to *sustainable innovation* by presenting experience and new ideas from both developed and developing countries].

Brunner, P. H., and Rechberger, H. *Practical handbook of material flow analysis*, Lewis Publishers, Boca Raton, 2004 [Advanced methods in resource and waste management].

Byron, H. and Sheate, W. R. Strategic Environmental Assessment: Current Status in the Water and Electricity Sectors in England and Wales. *Environmental Policy and Practice*, 6(4), 155-165, 1997 [Update on current situation, policies and strategies with regard to water and energy management].

Gao, C. Study and implementation of cleaner production in environmental impact assessment, Science Direct, *Journal of Cleaner Production*, 14(9), 757-1038 2006 [Tools for use as support to Environmental Impact Assessment].

Carnegie Mellon University, .Environmental decision Making, Science, and Technology, Industry as an Economic System, <http://telstar.ote.cmu.edu/enviro/m3/s4/matindeconomic.shtml>, 2003[The societal and industrial attitude toward the use of the earth for human activities].

Chambers N and Lewis K, Ecological Footprinting Analysis: Towards a Sustainability Indicator for Business, ACCA Research Report #65, 2002 [Reviews the explanatory power of various sustainability indices applied in policy practice].

Ciambrone, D., F. *Environmental life cycle analysis*, CRC Press LLC, New York, 1997 [Integrated Life-Cycle and Risk Assessment for Industrial Processes].

Costanza, R. Visions, Values, Valuation and the Need for an Ecological Economics, June 2001 / Vol. 51 No. 6 . *BioScience*, 2001 [Vision that recognizes , what is ecological economics?]

CSIRO, Land and Water, Literature review of factors Influencing public perceptions of water reuse, *Technical Report*, 54/03, 2003 [Review of communication strategies for influencing public perception].

De Beer, P., Friend, F. Environmental accounting. *Ecological Economics*, 58, 548– 560, 2005.[A management tool for enhancing corporate environmental and economic performance].

Department of Water Resources (D of WR), *Recycled Water Task Force, Recycled Water 2030*, California., 2003 [Draft program Draft program environmental impact report to evaluate the potential environmental impacts associated with the adoption of the Recycled Water].

Dimitriadis, S. Issues encountered in advancing Australia's water recycling schemes, <http://www.aph.gov.au/library/pubs/RB/2005-06/06rb02.htm#eco>, 2005[Approaches to move forward using the best practice risk water management framework].

Environmental Protection Agency, Environmental Protection Agency, *LCA 101-Introduction to LCA*, United States Environmental Protection Agency and Science Applications International Corporation, 2001 (National guidelines to practical application of LCA).

Eriksson, O., Frostell, B., Björklund, A., Assefa, G., Sundqvist, J.-O., Granath, J., Carlsson, M., Baky, A., Thyselius, L. ORWARE – a simulation tool for waste management, *Resources, Conservation and Recycling*, 36, 287 – 307, 2002.[A simulation model, a tool for researchers in environmental systems analysis of wastewater management].

ETSU, New and Renewable Energy: Prospects for the UK in the 21st Century: Supporting Analysis.R-122, Support. Harwell: DTI/Energy Technology Support Unit, 1999[Sustainability and environmental

impact of renewable energy sources].

Ewald, P. W. *Evolution of Infectious Disease*. Oxford: Oxford University Press, ISBN 0-19-511139-7, 1996. [Studies of many common diseases of unknown origin are in fact the result of the presence of slowly acting infections caused by viruses, bacteria and protozoa].

Fatta, D. and Moll, S., *Assessment of information related to waste and material flows*, Technical Report 96, European Environment Agency, 2003 [Strategic Environmental Assessment (SEA) as a tool to assess the environmental, economical and social effects of waste management systems].

Fava, J., F. Consoli, R. Denison, K. Dickson, T. Mohin, and B. Vigon (Eds.) *A Conceptual Framework for Life-Cycle Impact Assessment*, Society of Environmental Toxicology and Chemistry (SETAC) and SETAC Foundation for Environmental Education, Pensacola, FL, 1993 [Life cycle assessment (LCA) as a technique for holistic environmental assessment of products, packaging and activity systems].

FEMM, *Glossary of IWRM Terminology Used By Different Disciplines And Methodologies*, 2006 (definitions, terms and terminology explanation).

Frewer, L. J. Howard, C., and Shepherd, R. *Understanding public attitudes to technology*. *Journal of Risk Research*, 1, 221-235, 1998 [The social context surrounding technology to be one of the most important determinants of its future development and application].

Friend, H., Coutts, S. *Achieving sustainable recycled water initiatives through public participation*, *Desalination*, Vol. 187-188, 2006 [The community consultation model to assist in the implementation of urban water reuse program].

Friends of the Earth, *What is ecological footprint*, http://www.foe.org.hk/welcome/eco_ecocity_main.asp, 2004 [discussion about the basic concept of Ecological Footprint calculation].

Foresight: Environmental Appraisal Taskforce, *Towards More Sustainable Decisions*. London: Department of Trade and Industry, 2001 [Developing sustainable energy strategy for water utility].

Frosh, R. *A Technical Framework for Life Cycle Assessment*, <http://telstar.ote.cmu.edu/enviro/m3/s4/matdecmak.shtml>, 2003 [Decision making techniques that help to create a system wide industrial ecology in any community].

Gander, M., B. Jefferson, S. Judd, *Aerobic MBRs for domestic wastewater treatment: a review with cost considerations*, *Sep. Purif. Techn.*, 18, 119- 130, 2000 [The performance of various MBRs is appraised with reference to fouling propensity, and removal of organics and microorganisms].

Gennaccaro, A.L., McLaughlin, M.R., Quintero-Betancourt, W., Huffman, D.E., Rose, J.B. *Infectious Cryptosporidium parvum oocysts in final reclaimed effluent*, *Applied and Environmental Microbiology*, 69, 4983-4984, 2003 [Results of the study revealed the presence of infectious *C. parvum* oocysts in 40% of the final disinfected effluent samples].

Hanley, N. and C.L. Spash. *Cost-benefit analysis and the environment*. Edward Elgar, Cornwall, U.K, 1993. Cost-benefit analysis, CBA, as one tool for supporting important environmental decisions involving incommensurable benefits and costs over long time horizons].

Hanley, N., Shogren, J., and B. White, *Environmental Economics: In Theory and Practice*, Macmillan, Basingstoke, UK, 1997 [Guide to environmental economics].

Haralambopoulos, D., Pantelakis, I., Paraskevas, P. Lekkas, T. *Waste-water treatment and renewable energy potential in the Aegean Islands*, *Energy*, 22(7), 725-733, 1997 [The introduction of wind-power generators to cover the energy needs of waste-water treatment plants in small, medium and large islands in the Aegean archipelagos].

Harding, R. *Environmental decision-making*, The Federation Press, Leichhardt, 2002 [Description of the development of different approaches to fulfil the demands of the environment while considering legislative, customer requirements, competitive pressures and safety aspects].

Haarhoff, J., Ben Van der Merwe, *Twenty-five years of wastewater reclamation in Windhoek, Namibia*, *Water Science and Technology* Vol 33 No 10-11 pp 25-35, 1996 [Key objectives and review of water reuse concepts].

Hernández, F, Urkiaga, A., De las Fuentes, L., Bis, B., Chiru, E., Balazs, B., Wintgens, T. *Feasibility*

Studies for Water Reuse Projects: An Economical Approach, *Desalination*, 187, 253-261, 2006 [Methodology to assess the feasibility of a water reuse project taking into account the internal impact, the external impact (environmental and social,) and the opportunity cost derived from the project].

Hochstrat, R., Wintgens, T., Melin, T., Jeffrey, P. Wastewater reclamation and reuse in Europe: A model-based potential estimation, *Water Science and Technology: Water Supply*, 5(1), 67-75, 2005 [An approach to quantitatively assess the potential of municipal wastewater reclamation and reuse in a European context].

Holz, L., Kuczera, G., Kalma, J. Sustainable Urban Water Resource Planning in Australia: a decision sciences perspective, WSUD, 2004 [A triple-bottom-line assessment of stormwater projects to improve waterway health].

Hornick, R. B., Music, S. I., Wenzel, R., Cash, R., Libonati, J. P. and Woodward, T. E. The Broad Street pump revisited: response of volunteers to ingested cholera vibrios. *Bull. NY Acad. Med.*, 47(10), 1181-1191, 1971 [A case of cholera in Kensington Ont].

Houghton, J. T., Filho, L. G. M., Callander, B. A., Harris, N., Kattenberg, A. and Maskell, K. *Climate Change The Science of Climate Change, Intergovernmental Panel on Climate Change*, Cambridge University Press, Cambridge, GB, 572, 1996 [Impacts, Adaptation and Mitigation of Climate, Intergovernmental Panel on Climate Change].

Jeffrey, P. and Jefferson, B. Public receptivity regarding 'in-house' water recycling: Results from a UK survey, *Enviro 2002 Convention and Exhibition*, Melbourne, Australia, 2002. [A summary of existing international and Australian literature and experience on water reuse research, particularly in determining factors that may affect public perception of water reuse].

Jimenez, B. *Health risk in aquifer recharge with recycled water*, Instituto Ingenieria, Treatment and Reuse Group, 1998 [the most recent knowledge and the most advanced technology with experiences and best international practices in aquifer recharge].

Jones, D, Armstrong, A.Q., Muhlheim, M.D., Sorensen, B.V. Integrated Risk Assessment/Risk Management as Applied to Decentralized Wastewater Treatment, *Environmental Sciences Division*, Publication No. 5032, 2000 [Removal of Endocrine Disrupters during Water and Wastewater Treatment].

Jordan, Jones and Goulding, Long-term Wastewater Management Plan, Task 6 – Summary of Technologies, Metropolitan North Georgia Water Planning District, http://www.northgeorgiawater.com/files/ww_t6.pdf, 2003 [Strategies and plans for comprehensive wastewater management and implementation wastewater treatment facilities that produce reusable water].

Kaercher, J.D., Murni P., Nancarrow, B.E. *Literature review of factors Influencing public perceptions of water reuse*, Technical Report 54/03, 2003 [A summary of existing international and Australian literature and experience on water reuse research, particularly in determining factors that may affect public perception of water reuse].

Kaercher, Po, M., J.D., Nancarrow, B.E. (2004). Literature Review of Factors [Summary of existing international and Australian literature and experience on water reuse research, particularly in determining factors that may affect public perception of water reuse].

Khan, S. and Roser, D. *Risk Assessment and Health Effects Studies of Indirect Potable Reuse Schemes*, UNSW, CWWT, 2007 [Assessment of public health issues with respect to water recycling].

Kubik J. and Hlavinek P. Evaluation and selection of unit processes for treatment trains using water reuse simulation model, *Integrated Concepts in Water Recycling*, ISBN 1 74128 082 6, 368-373, 2005 [Review and evaluation of selected treatment process using simulation and assessment model].

Lenzen, M., and Murray, S. A. A modified ecological footprint method and its application to Australia, *Ecological Economics*, 37, 229-255, 2001 [Ecological Footprint research detailing results and analyses].

Levett, R. Footprinting: a great step forward, but tread carefully. *Local Environ.*, 3, 67-74, 1998 [A new concept initiated by the authors, was established in the modified model to indicate and compare the sustainability of cropland use at different levels and between different regions].

Louis, G. and Siriwardana, M. A procedure for calculating the full cost of drinking water, CEWorld-a virtual, American Society of Civil Engineers, <http://www.ceworld.org>, 2001 [Full cost accounting for

water supply and sewage treatment].

Lundie, S., Peters, G. Sydney Water Water Plan 21 Life Cycle Assessment, *Paper for the 3rd Australian LCA Conference*, 2002 [Studies of some potable water supply scenarios (groundwater treatment, ultrafiltration, nanofiltration, seawater reverse osmosis and thermal distillation associated to water transfer) are presented in order to illustrate the environmental information drawn from this tool].

Lundin, M., Bengtsson, M., and Molander, S. Life cycle assessment of wastewater systems: Influence of system boundaries and scale on calculated environmental loads, *Environmental Science and Technology*, 34 (1), 180-186, 2000 [Life cycle assessment methodology to compare the environmental loads from wastewater systems with different technical solutions and conventional wastewater systems, both large and small scale].

MacDonald, D.H. The Economics of Water: Taking Full Account of First Use, Reuse and Return to the Environment, *CSIRO Report for the Australian Water Conservation and Reuse Research Program*, 2003 [The importance of looking at potable water, reuse and disposal and return of water to the environment as part of a comprehensive framework].

Michigan State University, EnviroTools.org <http://www.envirotools.org/risk/riskrm.shtml>, 2007 [Understanding global warming causes and effects and definitions].

Moffatt I. Ecological footprints and sustainable development, *Ecological Economics*, 32, 359-362, 2000 [Estimating ecological footprint to increase awareness of consumption and its effects on the environment].

Opschoor H. The ecological footprint: measuring rod or metaphor? *Ecological Economics*, 32, 363-365, 2000 [Ecological footprint methodology, essential for quantifying humanity's consumption of natural capital, for overall assessments of human impact on earth as well as for planning for a sustainable future].

Pasqual, J., *La Evaluación de Políticas y Proyectos*, Criterios de Valoración Económicos y Sociales, Icaria, Barcelona, 1999 [Evaluation tool, policies and criteria for supporting important economic decisions].

Peeters, J. G. and Theodoulou, S. L. Membrane Technology Treating Oily Wastewater for Reuse, ZENON Environmental Inc., 2005 [Technical feasibility of full scale membrane facilities treating oily wastewaters].

Queensland Water Recycling Guidelines, Department of Natural Resources, 2003 [[guidance on water recycling that is appropriate to Queensland conditions and to provide a road map to other resources that can support water recycling].

Ramírez, J. I., Frostell, B., and Galindo, R. A systems approach evaluation of sludge management strategies case study: sludge management in Valparaíso and Aconcagua, Chile, *Internet Conference on Material Flow Analysis of Integrated Bio-Systems*, 2000. (<http://www.ias.unu.edu/proceedings/icibs/ic-mfa/ramirez/paper.htm> Assess date 7/1/05) [Strategic report on available approaches, evaluation and management of sludge].

Rapport D.J. Ecological footprints and ecosystem health: complementary approaches to a sustainable future, *Ecological Economics*, 32, 381-383, 2000 [The summary of development and the need for research into the development trends of EF and BC time series in spatiotemporal dimension].

Rebitzer, G., Ekvall, T., Frischknecht, R., Hunkeler, D., Norris, G. Rydberg, T., Schmidt, W. P., Suh, S., Weidema, B. P. and Pennington, D. W. Life cycle assessment – Part 1: *Environment International*, 30, 701 – 720, 2004 [Framework, goal and scope definition, inventory analysis, and applications].

Rees, W. Ecological footprints and appropriated carrying capacity: What urban economics leaves out, *Environment and Urbanization*, 4(2), 121-130, 1992 [Assessment of the capital stocks, physical flows, and corresponding ecosystems areas required to support the economy using "ecological footprint" analysis].

Richard, D. The cost of wastewater reclamation and reuse, in: T. Asano, ed., *Water Quality Management Library, Wastewater Reclamation and Reuse*, 10, CRC Press, Boca Raton, FL, pp. 1335–1396, 1998 [Analyses and reviews the various aspects of wastewater reclamation, recycling, and reuse in most parts of the world].

Robèrt, K. H., Schmidt-Bleek, B., Aloisi de Larderel, J., Basile, G., Jansen, J. L., Kuehr, R., Price

Thomas, P., Suzuki, M., Hawken, P., and Wackernagel, M. Strategic sustainable development – selection, design and synergies of applied tools, *Journal of Cleaner Production*, 10, 197-214, 2002 [Essential elements for developing sustainability and how these elements relate to the application of the respective tools and approaches, how they relate to each other and build on each other when used for planning for sustainability].

Rose, J. B., L. J. Dickson, S. R. Farrah, and D. P. Carnahan. Removal of pathogenic and indicator microorganisms by a full scale water reclamation facility, *Water Research*, 30, 2785-2797, 1996 [Monitoring data and dose-response models were used to evaluate risks associated with viruses and protozoa at a full-scale reclamation facility monitored at different stages of treatment].

Rubin, E. S. *Introduction to engineering and the environment*, McGraw-Hill, New York, 2001[Essential effort and source of information].

Russell, S., Hampton, G., Lux, C., Jeffrey, P. *Participatory planning for Water Recycling Schemes in Australia, A handbook of Principles, Tools and Guidance*, University of Wollongong, 2005[Review and discussion of a key challenges facing our understanding of public responses to water recycling and our efforts to provide effective public consultation.

Salgot, M., Huertas, E., Weber, S., Dott, W., Hollender, J. Wastewater reuse and risk: definition of key objectives, *International Conference on Integrated Concepts on Water Recycling*, Wollongong, 2005[Compilation of issues surrounding the consumption of reclaimed wastewater and the question of what types of water quality standards might be set in order to provide the proper level of safety associated with the use of reclaimed wastewater and quality categories for different reuses.

Sävykoski, T., Huittinen, *Née Chlamydia Pneumoniae Infection, Inflammation and Heat Shock Protein 60, Immunity in Asthma and Coronary Heart Disease*, Oulun Yliopisto, 2003 [Results and evidence for a specific immune response associated with *Chlamydia pneumoniae*, a common respiratory pathogen].

Scholten, H., Kassahun, A., Refsgaard, J.C., Kargas, T., Gavardinas, C. and Beulens, A.J.M. A methodology to support multidisciplinary model-based water management, *Environmental Modelling & Software*, 2006[Knowledge models and a web-based software system to multidisciplinary model-based water management projects].

Seguí, L., *Sistemas de regeneración y reutilización de aguas residuales, Metodología para el análisis técnico-económico y casos, Doctoral thesis, Universidad Politécnica de Cataluña, 2004*[Methodology to support multidisciplinary model-based water management].

Simpson R.W., Petroeschevsky A. and Lowe I. An ecological footprint analysis for Australia. *Australian Journal of Environmental Management*, 7, 11-18, 2000[Study of the on resources decline through interactions with Western society due to higher-density urban populations, that have larger footprints than rural and indigenous populations].

Slovic, P. Trust, emotion, sex, politics, and science: Surveying the risk-assessment battlefield. In M. H. Bazerman, D. M. Messick, A. E. Tenbrunsel, & K. A. Wade-Benzoni (Eds.) *Environment, ethics and behavior*: San Francisco, New Lexington Press, 277–313, 1998[The psychology of environmental valuation and degradation].

Syme, G.J. and Bishop, B.J. Community Perceptions of Dam Safety Issues: A Preliminary Study. CSIRO Division of Water Resources. DWR Consultancy Report No. 92/32, 1992 [[This study has been designed to provide a preliminary analysis of the major questions related to perceptions of dam failure as a risk with other technological risks and natural hazards].

Syme, G.J., Murni, Po. Blair, E. Nancarrow, Z. Leviston, N.B. Porter, J.D. Kaercher, Predicting Community Behaviour in Relation to Wastewater Reuse, What Drives Decisions to Accept or Reject?, CSIRO, Land and Water : Perth., 2005 [A summary report of existing international and Australian literature and experience on water reuse research, particularly in determining factors that may affect public perception of water reuse].

Tietenberg, T.H. *Environmental and Natural Resource Economics*, Reading, MA: Addison-Wesley, 2003[Overview of the principles of economics used to analyse environmental and natural resource problems].

Toze, S. Water reuse and Health Risk, real vs Perceived, *Desalination*, 187, 41-51, 2005[[Consolidated

experience with technology and management practices and that effective and practicable management practices should include a combination of structural, non-structural and managerial techniques].

University of Tennessee (UT), Life-Cycle Impact Assessment, Chapter 3, <http://www.epa.gov/dfe/pubs/comp-dic/lca/Ch3.pdf>, 2002[Methodology, which takes a more detailed approach to chemical toxicity impacts. Also discusses data sources, data quality, and the limitations and uncertainties, calculates lifecycle impact category indicators].

US EPA. *Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual (Part D, Interim)*, Publication 9285.7-01D, Office of Emergency and Remedial Response, Washington, D. C., 1998 [Standardized Planning, Reporting, and Review of Superfund Risk Assessments].

Van Den Bergh, J. C. J. M., and Verbruggen H. Spatial sustainability, trade and indicators: an evaluation of the 'ecological footprint', *Ecological Economics*, 29, 61-72, 1999[The search for frameworks and indicators of sustainable development, review of a recently proposed indicator for ecological-economic analysis, namely the ecological footprint, indicators].

Van der Oost R, Beyer J, Vermeulen NPE. Fish bioaccumulation and biomarkers in environmental risk assessment: a review, *Environ Toxicol Pharmacol*, 13, 57-149, 2003 [A wide array of bioaccumulation markers and biomarkers, used to demonstrate exposure to and effects of environmental contaminants, has been discussed in relation to their feasibility in environmental risk assessment].

Van Gastel, C.A.M. E. and Van Brummelen, T.C. Incorporation of the biomarker concept in ecotoxicology calls for a redefinition of terms, *Ecotoxicology*, 5, 217-225, 1994 [Discussion on the use of Biomarkers for ecological effects assessment and to allow incorporation of the biomarker concept within the framework of modern ecotoxicology].

Van Kooten G.C. and Bulte E.H. The ecological footprint: useful science or politics? *Ecological Economics*, 32, 385-389, 2000[Review of current issues and trends related to ecological footprint research and analysis].

Wackernagel, M. and Rees, W. E. *Our ecological footprint*, New Society Publishers, Gabriola Island, 1996[Ecological footprint analysis', a quantitative tool that estimates humanity's ecological impact].

Wackernagel, M., Schulz, N. B., Deumling, D., Linares, A.C., Jenkins, M., Kapos, V., Monfreda, C., Loh, J., Myers, N., Norgaard, R., Randers, J. Tracking the ecological overshoot of the human economy, *Proceedings National Academy of Science (PNAS)* vol. 99 _ no. 14, , 2002 [A quantitative tool that estimates humanity's ecological impact on the ecosphere in terms of appropriated ecosystem (land and water) area].

Walker B. National, regional and local scale priorities in the economic growth versus environment trade-off, *Ecological Economics*, 15, 145-147, 1995 [This paper outlines the realities of economic transformation in determine the economic carrying capacity of our planet].

Walter, R., Gottlieb, D.J., O'Connor G.T. Environmental and Genetic Risk Factors and Gene-Environment Interactions in the Pathogenesis of Chronic Obstructive Lung Disease, *Environmental Health Perspectives*, 108(S4), 2000 [Current understanding of the pathogenesis of chronic obstructive pulmonary disease (COPD), suggests that chronic inflammation leads to the airways obstruction and parenchymal destruction due to environmental factors].

Wikipedia, Ecological Footprint Analysis, http://en.wikipedia.org/wiki/Ecological_footprint, 2007[A comprehensive compilation, definitions and explanatory facts on Ecological Footprint Analysis].

WCED, *Our Common Future*, New York, Oxford University Press, 1987 [Report of the World Commission on Environment and Development].

WHO. *Guidelines for drinking water quality*, 3rd ed. Geneva, World Health Organization, 2003[Guidelines are recognized as representing the position of the UN system on issues of drinking-water quality and health by "UN-Water," the body that is concerned with water issues including concepts, approaches and information].

Yencken, D. and Wilkinson, D. *Resetting the compass: Australia's journey towards sustainability*, CSIRO Publishing, Collingwood, 2000[Comprehensive review of the State of Environment in Australia].

Zakkour, P. D., Gaterell, M. R., Griffin, P. Gochin, R. J. Lester, J. N. An economic evaluation of

anaerobic domestic wastewater pre-treatment for temperate climates, *European Water Managements*, 4(3), 35-46, 2001[The development of a model for estimating future energy use and CO₂ emissions in the wastewater treatment sector, and outline of the results of different projections using incumbent and novel practices].

Zakkour, P. D., Gaterell, M. R., Griffin, R., Gochin, R. J., and Lester, J. N. Developing a sustainable energy strategy for a water utility – Part 2: a review of potential technologies and approaches, *Journal of Environmental Management*, 66, 115-125, 2002 [Review of emerging technologies and practices that may assist in mitigating global warming and food safety from sewage sludge recycling on agricultural land problems in the future. In addition, a number of potential renewable energy technologies available to water companies are reviewed.

Biographical Sketches

Mr. Andrzej Listowski is the Senior Manager, Water and Energy with Sydney Olympic Park Authority. He is responsible for design, development, implementation and operation of the Water Reclamation and Management Scheme (WRAMS), the first integrated urban water recycling scheme in Australia and one of the first in the world. He is also responsible for selection; undertaking and management of number of scientific research projects associated with treatment processes for recycled water, plant operations efficiency and recycled water quality. The most recent study include: (i) hollow fibre membrane, (ii) autopsy study involving characteristics of MF operational environment, water quantity and quality, identification of causes of MF fouling; (iii) use of recycled water i.e. laundry washing, playing fields irrigation, ornamental fountains, air-conditioning cooling towers etc. He was also involved in a wide range of recycled water research and investigations across Australia and overseas including collaboration with Prime Minister Science, Engineering and Innovation Council and Aquarec project for the European Commission under the 5th Framework Program.

Dr. Huu Hao Ngo is an academic and senior environmental research engineer with more than twenty five years' professional experience in Australia and in Asian countries. He is now working as Associate Professor of Environmental Engineering and Manager, in-charge of Environmental Engineering R & D Laboratory, School of Civil and Environmental Engineering at University of Technology, Sydney (UTS). He is also serving as a core member (Team Leader of advanced water and wastewater treatment materials based technology group and Project Investigation of membrane based technology in the theme of Urban Water Management) of the Institute of Water and Environmental Resource Management at UTS. Assoc. Prof. Ngo is internationally known for his activities in the development of innovative water, wastewater treatment and recycling technologies, and is a recognized authority on the flocculation and filtration process, biofiltration and membrane hybrid technology. He has been involved in more than 50 research projects and published more than 200 technical papers including two books and several book chapters. He is also a reviewer for more than 20 international journals.

Dr. Wenshan Guo is working as UTS Chancellor's Postdoctoral Research Fellow and her research focus is on the innovative water and wastewater treatment and reuse technologies. Her expertise and practical experience cover the areas of water and wastewater engineering such as membrane technologies (e.g. membrane bioreactor, microfiltration, membrane hybrid system, and PAC-submerged membrane bioreactor etc.), advanced biological wastewater treatment technologies (e.g. suspended growth reactors and attached growth reactors), and physical/chemical separation technologies as pre-treatment or post-treatment (e.g. adsorption, column, and flocculation). She also has strong ability to work in solid waste management, life cycle assessment, and desalination.

Dr S. Vigneswaran has been working on water and wastewater treatment and reuse related research since 1976. During the last twenty years, he has made significant contributions in physico-chemical water treatment related processes such as filtration, flocculation, membrane-filtration and adsorption. His research activities both on new processes development and mathematical modelling are well documented in reputed international journals such as *Water Research*, *American Institute of Chemical Engineers Journal*, *Chemical Engineering Science*, *Journal of American Society of Civil Engineers*, and *Journal of Membrane Science*. He has also been involved in a number of consulting activities in this field in Australia, Indonesia, France, Korea, and Thailand through various national and international agencies. He has authored two books in this field at the invitation of CRC press, USA, and has published more than

230 papers in journals and conference's proceedings. Currently a Professor of the Environmental Engineering Group at the University of Technology, Sydney, he was the founding Head of and the founding Co-ordinator of the University Key Research Strength Program in Water and Waste Management. He is coordinating the Urban Water Cycle and Water and Environmental Management of the newly established Research Institutes on Water and Environmental Resources Management and Nano-scale Technology respectively.

Dr. Carolyn Gay Palmer is working as Professor and Director of Institute of Water and Environmental Resource and Management (IWERM), University of Technology, Sydney. The most significant contributions to her research fields are Ecotoxicology/Environmental Water Quality and Water Resource Management. She was also the leader of the team that developed the methods for environmental water quality assessments as part of the Reserve process – which prescribes the water available for allocation to water users in South Africa. Prof. Palmer has published more than 30 papers, 3 book chapters, 2 handbooks and over 20 peer-refereed reports. Prof Palmer played an important role in developing the new Water Law in South Africa and she was awarded the Silver Medal of the South African Society of Aquatic Scientists and the Women in Water Award from the Minister of Water Affairs and Forestry.