

URBAN WASTEWATER TREATMENT: PAST, PRESENT AND FUTURE

S. Vigneswaran, C. Davis, J. Kandasamy

Faculty of Engineering and Information Technology, University of Technology, Sydney, Australia

A. Chanan

State Water Corporation, Sydney, Australia

Keywords: Wastewater Treatment Processes; Decentralisation; Future Scenarios.

Contents

1. Water Management Systems: A Brief History
 2. Conventional Sewage Treatment Techniques
 3. Third Generation Wastewater Treatment Systems
 4. Reassessing the Conventional Systems
 5. Water & Wastewater Management In Future: A Preview
 6. Advanced Treatment Technologies for the Fourth Generation Water Management
 7. Conclusion
- Glossary
Bibliography
Biographical Sketches

Summary

The chapter traces the history of water and wastewater management, starting from the hunter-gatherer days of human existence. It divides the evolution of water industry into four phases. It describes traditional wastewater treatment technologies developed as the second generation water management option. Crystal ball view of the future of wastewater treatment technologies is also given, highlighting the novel approaches currently in the pipe-line.

1. Water Management Systems: A Brief History

As their intellectual and social capacities advanced over the past hundred thousand years, hunter-gatherers homo-sapiens expanded across the globe, building on a legacy of tool making and exploration. During the last ten thousand years, homo-sapiens became cultivators, thereby allowing a great increase in population to occur. One of the essential factors in this metamorphosis of hunter-gatherers into cultivators was the management of water supply through storage and distribution (Chanan & Simmons, 2002). In essence, unlike hunter-gatherer days, water was brought to the place of occupation rather than the community moving to reliable water supplies. The drive for water security has grown from there and has become a significant component of human endeavor. Table 1 provides a broad pattern of human water access and use.

| Time Period years ago | Type of Community | Example of location | Pattern |
|------------------------------|--------------------------|-----------------------------|---|
| 10,000+ | Hunter-gatherer | Worldwide | Community moved to water |
| 10,000-7,000 | Agricultural City States | Mesopotamia Indus Valley | Water brought (carried) to the community |
| 7,000-1,500 | Agricultural Empires | Greece, Rome | Water brought to the community by engineered structures from remote sources |
| 1,500-200 | Agricultural Protected | Medieval Europe | Water collected and stored on site |
| 200-100 | Industrial | Europe | Large collection and distribution systems |
| 100-0 | Industrial | Worldwide | Development of large dams – centralised systems |
| 0-50 | Managerial | Worldwide | Total Water Cycle Management Soft Path for water |

Table 1: Broad patterns of community water access and disposal

The earliest civilisations, such as in the Indus Valley which flourished 4,000 years ago, showed a sophisticated appreciation of water-related health needs (Edwards, 2000). Domestic water supply in these ancient civilisations appeared to be obtained from wells and was simply carried to wherever it was needed. In ancient Egypt for instance, the purest water for consumption was obtained from wells, whereas the Nile River provided water for irrigation (P&M Magazine, 1989). Similarly ancient Jerusalem relied upon underground springs, streams, tunnels and cisterns. This was more reliable than rainfall and offered safety from enemy destruction. The first sewerage systems in Japan were built during the Yayoi Period, approximately 2,200 years ago (Japan Sewage Works Association, 2002).

The earliest water management systems were developed to cater for contemporary small settlements, relying on locally suitable water supply sources and were decentralised in nature.

1.1. Greco-Roman Influence on Water Management

The Greek and Roman civilisations (Chanan & Simmons, 2002) achieved the next level of urban water management. Until then, cities and towns were largely constructed adjacent to rivers and streams, to ensure a continuum of water supply and waste transport. The security of the Roman political system, in particular, allowed for the development of water transport systems from remote sources. With the formation of new centres, and the expansion of existing ones, new supplies had to be identified, captured, transported and stored (Landels, 1998; cited in Chanan & Simmons, 2002).

Figure 1 shows an aqueduct built during the Roman Empire at Nimes, France. Similar aqueducts were built across Europe to transport water over long distances.

Water management and technology, however, declined in Europe after the fall of the Roman Empire. Political and military insecurity and insufficient state wealth meant that the building of large-scale water supply and sewerage schemes was not attempted in Europe, and dependence on decentralised options continued until the 18th century.

1.2. Water Supply and the Industrial Revolution

The Industrial Revolution saw significant growth in wealth, population, scientific knowledge and technology; and the size of cities grew rapidly. The large amount of water needed and the sewage generated, as well as the increased stormwater from vast urban areas, needed a new management approach.



Figure 1: Roman Aqueduct, Nimes, France

Technical advancements resulting from the Industrial Revolution removed some barriers to urban water infrastructure development. By the end of the 18th century, all major northern European cities had built, or were building new systems to distribute water and evacuate liquid wastes (Reid, 1991). The realisation that many diseases, such as cholera, were passed on by contaminated water was primarily behind the development of this “big pipe engineering approach” - for bringing drinking water into the city and for removing wastewater and stormwater from the city. Big pipe engineering became the standard water management technique (Newman, 2007).

A metaphor for this stage in water management is the First Generation – it began to formalise water infrastructure, but human and environmental health were still seriously challenged by the waste products of growing cities (Davis, 2008)

1.3. Water Engineering in the 20th Century

According to Chanan & Simmons (2002), the 20th century could best be described as the century of applying big engineering solutions to water management. During this period, extensive networks of canals, dams and reservoirs were designed and constructed worldwide. Since 1950, the number of large dams (15 metres or taller) has grown from 5,000 to about 45,000. More than 85 per cent of those were built in the last

35 years (World Commission on Dams, 2000).

The resulting centralised system that has now been inherited is based on sourcing large quantities of water from one location (often a different catchment), adding a number of nutrients to it during its once-only use, and finally disposing the waste stream at another point location. Such a system not only results in receiving waters becoming more polluted, it also causes water sources to become scarce and nutrients such as nitrogen and phosphorus to be diluted and removed from where they could potentially be reused (Livingstone et al, 2004).

Returning to the generation metaphor – this was the Second Generation of water management. The Second Generation lasted till late 20th century, consequently water and wastewater technologies developed during this phase are predominant throughout the world. These technologies are now commonly referred to as the ‘conventional’ techniques.

-
-
-

TO ACCESS ALL THE 31 PAGES OF THIS CHAPTER,

<http://www.eolss.net/Eolss-sampleAllChapter.aspx>

Bibliography

Adams, C., Wang, Y., Loftin, K. and Meyer, M. (2002). Removal of antibiotics from surface and distilled water in conventional water treatment processes. *Journal of Environmental Engineering*, 123, 253-260. [This paper highlights the deficiency of flocculation in removing smaller organics molecules]

Ahmaruzzaman, M. and Sharma, D.K. (2005). Adsorption of phenols from wastewater. *Journal of Colloid and Interface Science*, 287, 12-24. [Paper describing a physico-chemical process in water treatment]

Al-Malack, M.H. and Anderson, G.K. (1996). Coagulation crossflow micro filtration of domestic wastewater. *Journal of Membrane Science*, 121(1), 59-70. [Paper describing the importance of pretreatment in membrane filtration used for water reuse]

Anderson J. (1996), ‘The potential for water recycling in Australia - expanding our horizons’, *Desalination*, Vol. 106, pp. 151-156. [Paper describing the opportunities for wastewater reuse in Australia]

Australian Bureau of Statistics (2001), *Environmental Issues, People’s Views and Current Practices*, Australian Bureau of Statistics, catalogue number 4602.0, Canberra. [This report gives useful information on contemporary views and practices on environmental issues]

AWWA (1999). *Water Quality and Treatment: A handbook of community water supplies*. AWWA, McGraw-Hill, New York. [A book giving a good overview on water supply and treatment]

Ayuso E.A., Sanchez A.G., Querol X. (2003) Purification of metal electroplating waste waters using zeolites. *Water Research* 37, 4855–4862. [This presents approaches to the study of water purification using zeolites]

Bellona C., Drewes J.E. (2007) Viability of a low-pressure nanofilter in treating recycled water for water reuse applications: A pilot-scale study. *Water Research*, 41, 3948-3958. [This presents approaches to the study low-pressure nanofilter]

Binks P. (2007) Nanotechnology & water: opportunities and challenges. Victorian Water Sustainability Seminar, May 15 2007. [This presents approaches to the study of nanotechnology for water issues]

Boyer, T.H. and Singer, P.C. (2005). Bench-scale testing of a magnetic ion exchange resin for removal of disinfection by-product precursors. *Water Research*, 39 (7) 1265-1276.

Bruggen B.V.D., Manttari M., Nystrom M. (2008) Drawbacks of applying nanofiltration and how to avoid them: A review. *Separation and Purification Technology*, 63, 251-263. [This presents review approaches to the application of nanofiltration]

Cakir, F. Y., Stenstrom, M. K. (2005) 'Greenhouse gas production: A comparison between aerobic and anaerobic wastewater treatment technology'. *WaterResearch*, 39, 4197-4203. [A paper analysing the green house implications of different forms of wastewater treatment]

Cavaco, S.A., Fernades, S., Quina, M.M. and Ferraira, L.M. (2007). Removal of chromium from electroplating industry effluents by ion exchange resins. *Journal of Hazardous Materials*, 144, 634-638. [Paper describing the ion exchange process in industrial wastewater treatment]

Chanan A. and Simmons B. (2002), '*Dams to Demand Management: A Journey Through Development of Urban Water Supply*', Proceedings River Symposium 2002, Brisbane, September 2002. [A paper describing the paradigm shift in water management]

Chang, S., Waite, T.D. and Fane, A.G. (2005). A simplified model for trace organics removal by continuous flow PAC adsorption/submerged membrane processes. *Journal of Membrane Science*, 253(1), 81-87. [Paper describing the membrane hybrid system and its optimisation]

Chen, Y., Dong, B.Z., Gao, N.Y. and Fan, J.C., (2007), Effect of coagulation pre-treatment on fouling of an ultrafiltration membrane, *Desalination*, 204, pp. 181-188 [Paper describing the importance of flocculation as a pretreatment to membrane processes]

Cheryan M. (1998). *Ultrafiltration and Microfiltration Handbook*, Technomic Publishing Co., Lancaster, PA. [This book presents detailed information of UF and MF]

Cho M., Chung H., Choi W., Yoon J. (2005) Different inactivation behaviours of MS-2 phage and *Escherichia coli* in TiO₂ photocatalytic disinfection. *Applied and Environmental Microbiology*, 71, 270-275. [This presents approaches to the study of bactericidal effect of TiO₂]

Chuang, C. L., Fan, M., Xu, M., Brown, R.C., Sung, S., Saha, B. and Huang, C.P. (2005). Adsorption of arsenic (V) by activated carbon prepared from oat hulls. *Chemosphere*, 61, 478-483. [Paper describing the arsenic removal by adsorption]

Crites, R. W., E. J. Middlebrooks and S. C. Reed (2006). *Natural Wastewater Treatment Systems*. CRC, Taylor & Francis, Boca Raton, Florida. [This book provides good information on natural treatment systems including wetlands]

Crittenden, J.C., Trussell, R.R., Hand, D.W; Howe, K.J, and Tchobangoglous, G. (2005). *Water Treatment: Principles and Design*, John Wiley & Sons, Inc., New Jersey. [a good overview on different treatment process for water]

Davis C. (2008), *Fourth Generation Water Systems*, A paper for the Local Government and Shires Association of NSW, February 2008, University of Technology Sydney.[A paper describing the evolution of water management systems that forms the basis of this chapter]

Devi, R. and Dahiya, R.P. (2007). COD and BOD removal from domestic wastewater generated in decentralised sectors. *Bioresource Technology*, 99, 344-349. [given information on the pollutant removal during wastewater treatment]

Dillon, P. (2001). 'Water Reuse in Australia: Current, Future and Research', *Water: Journal of Australian*

Water Association, 28 (3), 18-21. [A paper on status and opportunities of water recycling in Australia]

DLWC (1998). *The Constructed Wetlands Manual*. Department of Land and Water Conservation New South Wales ISBN 07313 1329 6 [Comprehensive manual on the construction, operation and maintenance on constructed wetlands.]

Edwards, M. (2000) 'Indus Civilisations', *National Geographic*. 197, No.6 [A article on the Indus civilisation]

EPA Victoria (2000) *Environmental Guidelines for Reducing Greenhouse Gas Emissions from Landfills and Wastewater Treatment Facilities*. EPA Victoria, Report 722, ISBN 0 7306 7590 4. [This report provides figures on the greenhouse emissions form solid waste landfills]

Ernst M., Sachse A., C. Steinberg E. W. and Jekel M. (2000) Characterization of the DOC in nanofiltration permeates of a tertiary effluent. *Water Research*, 34, 2879-2886. [This presents approaches to the study of characterization of organic matter after NF]

Fane S. (2005), '*Planning for Sustainable Urban Water: System Approaches and Distributed Strategies*', Institute for Sustainable Futures, University of Technology Sydney, PhD Thesis. [this thesis gives details on planning and policy aspects on urban water systems]

Greenfield, P.F. & Batstone, D. J. (2005). Anaerobic digestion: impact of future greenhouse gases mitigation policies on methane generation and usage. *Water Science and Technology*, 52 (1-2), 39-47. [A paper analysing the green house implications of anaerobic digestion used in wastewater treatment]

Guida, M., Mattei, M., Rocca, C.D., Melluso, G. and Meric, S. (2007). Optimization of alum-coagulation/flocculation for COD and TSS removal from five municipal wastewater. *Desalination*, 211, 113-127. [This paper highlights the pollutant removal results by flocculation of wastewater]

Guo, W.S. (2005). *Microfiltration Hybrid System in Wastewater Treatment for Reuse*. Faculty of Engineering, University of Technology Sydney, PhD Thesis. [This thesis gives good information on membrane bioreactor and related hybrid systems with extensive experimental information]

Guo, W.S., Shim, W.G., Vigneswaran, S. and Ngo, H.H. (2005). Effect of operating parameters in a submerged membrane adsorption hybrid system: experiments and mathematical modeling. *Journal of Membrane Science*, 247(1), 65-74. [Paper describing the membrane hybrid system in wastewater treatment]

Hakim (2002). *Water Demand and Pollution Control: Key to securing and safeguarding the water supplies for the MENA in the 21st century*. WHO Regional Centre for Environmental Health Activities, Amman, Jordan [discusses concepts for water and wastewater management in the future]

Hartley, K., and Lant, P. (2006). 'Eliminating non-renewable CO₂ emissions from sewage treatment: an anaerobic migrating bed reactor pilot plant study'. *Biotechnology and Bioengineering*, 95 (3), 384-398. [A paper highlighting the issue of greenhouse gas emissions resulting from sewage treatment and possible solutions]

Hartley, K., Lant, P. A., Leinster, D. G. (2003) 'EnRec-Energy recovery sewage treatment technology'. *Proc AWA QLD Branch Reg. Conf*, Caloundra, QLD, Australia. [A paper highlighting the issue of greenhouse gas emissions resulting from sewage treatment and possible energy recovery]

Hu J., Chen G., Lo I.M.C. (2005) Removal and recovery of Cr(VI) from wastewater by maghemite nanoparticles. *Water Research*, 39, 4528-4536. [This presents approaches to the study of wastewater remediation by maghemite]

Intergovernmental Panel on Climate Change (2007) *Climate Change 2007: The Physical Science Basis*. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. [This is an authoritative report by leading experts on climate change]

IPCC – see Intergovernmental Panel on Climate Change

Japan Sewage Works Association c. 2002, *Making Great Breakthroughs - All about the Sewage Works in Japan*, p. 47, accessed at http://www.sewerhistory.org/articles/whregion/japan_waj01/index.htm (Accessed Feb 2008) [an internet article describing early sewerage systems in Japan]

Jarusutthirak C. (2002) Fouling and flux decline of reverse osmosis (RO), nanofiltration (NF) and

ultrafiltration (UF) membranes associated with effluent organic matter (EfOM) during wastewater reclamation/reuse. Ph. D. Dissertation, University of Colorado at Boulder. [This thesis presents fouling and flux decline of RO, NF and UF]

Jiuhui Q. (2008) Research progress of novel adsorption processes in water purification: A review. *Journal of Environmental Sciences*, 20, 1-13. [This presents a review for approaches to the study of water purification by adsorption processes]

Jung, C.W., Son, H.J. and Kang, L.S. (2006). Effects of membrane material and pretreatment coagulation on membrane fouling: fouling mechanism and NOM removal. *Desalination*, 197(1-3), 154-164. [Paper describing the importance pretreatment in reducing the membrane fouling and natural organic matter removal]

Keller, A., and Sakthivadivel R., (2000), *Water Scarcity and the Role of Storage in Development*. In *Wastewater Management Policy*. International Water Management Institute. Sri Lanka. [This report gives useful information on policy aspects related to water security and wastewater management]

Keller, J. and Hartley, K. (2003). 'Greenhouse gas production in wastewater treatment: process selection is the major factor', *Water Science and Technology*, 47(12), 43-48. [A paper analysing the green house implications of different forms of wastewater treatment]

Kim, S.H., Moon, S.Y., Yoon, C.H., Yim, S.K. and Cho, J.W., (2005), Role of coagulation in membrane filtration of wastewater for reuse, *Desalination*, 173, pp. 301-307 [Paper describing the pretreatment of coagulation prior to membrane application in water reuse]

Kuramitz, H., Saitoh, J., Hattori, T. and Tanaka, S. (2002). Electrochemical removal of p-nonylphenol from dilute solutions using a carbon fiber anode. *Water Research*, 36, 3323-3329. [Paper describing the advanced oxidation processes]

Lebeau, T., Lelievre, C., Buisson, H., Cleret, D., Van de Venter, L.W. and Cote, P. (1998). Immersed membrane filtration for the production of drinking water: combination with PAC for NOM and SOCs removal. *Desalination*, 117(2), 219-231. [This paper gives experimental results on organic removal by membrane-adsorption hybrid system]

Livingston D., Stenekes N., Colebatch H., Ashbolt N. and Waite T. D. (2004), '*Water Recycling and Decentralised Management: The Policy and Organisational Challenges for Innovative Approaches*', In Proceedings of WSUD 2004 – Cities as Catchments Conference, Adelaide, South Australia, 21-25 November 2004. [A paper describing decentralised approaches for recycle water management].

Lopez, A., Bozzi, A., Mascolo, G. and Kiwi, J. (2003). Kinetic investigation on UV and UV/H₂O₂ degradation of pharmaceutical intermediates in aqueous solution. *Journal of Photochemistry and Photobiology A: Chemistry*, 156, 121-126. [this paper highlights the application of advanced oxidation in industrial wastewater treatment]

Manttari M., Viitikko K., Nystrom M. (2006) Nanofiltration of biologically treated effluents from the pulp and paper industry. *Journal of Membrane Science*, 272, 152-160. [This presents approaches to the study of water remediation by nanofiltration]

Mara, D. (1987). *Design Manual for Waste Stabilisation Ponds in India*. Leeds: Lagoon Technology International. www.leeds.ac.uk/civil/cei/water/tphe/publicat/pdm/india/india.html. [Comprehensive guideline for designing of waste stabilisation ponds with special emphasis on India]

Mara, D. and H. Pearson (1998). *Design Manual for Waste Stabilisation Ponds in Mediterranean Countries*. Leeds: Lagoon Technology International. www.leeds.ac.uk/civil/cei/water/tphe/publicat/pdm/med/medman.html. [Comprehensive guideline for designing of waste stabilisation ponds]

Mara, D., H. Pearson, J. Oragui, H. Arridge and S. A. Silva (2001). Development of a new approach to waste stabilisation pond design. *Research Monographs in Tropical Public Health Engineering*, School of Civil Engineering, University of Leeds, ISSN: 1351 - 1378. [Explains the new approaches to designing WSP]

Mitchell C. (1996) *Pollutant Removal Mechanism in Artificial Wetlands*. Unpublished course notes for the International Winter Environment School (IWES), July, Gold Coast, 1996. [course notes describing the pollutant removal in constructed wetlands]

Mo, L. and Huanga, X. (2003). Fouling characteristics and cleaning strategies in a coagulation-microfiltration combination process for water purification. *Desalination*, 159(1), 1-9. [Detailed information on flocculation-microfiltration hybrid systems]

Monteith, H.D., Sahely, H.R., MacLean H.L., Bagley, D.M. (2005). A rational procedure for estimation of greenhouse-gas emissions from municipal wastewater treatment plants, *Water Environment Research*. 77 (4), 390–403. . [A paper describing the calculation of green house gas production from wastewater treatment plants]

Newman P. (2007), '*Sustainability and the Urban Water System*', Case Study, Institute for Sustainability and Technology Policy, Murdoch University. [A report on the development of Western Cities and accompanying development of the water supply systems]

P& M Magazine (1989). Ancient Plumbing. *Plumbing and Mechanical Magazine*. October 1989. [A article on the Nile civilisation and diversion of water form the Nile]

Pinkham R. (2004), 21st Century Water Systems: Scenarios, Visions, and Drivers, Rocky Mountain Institute, Snowmass, Colorado, February 2004. [This report provides emphasise the merits of decentralised systems]

Radcliffe, J. (2003). An Overview of Water Recycling in Australia – Results from the recent ATSE study. *Water Recycling Australia, 2nd National Conference 1-3 September, 2003 Brisbane*. Australian Water Association, Sydney. [A report on status of water recycling in Australia]

Reed, S. C., R. W. Crites and E. J. Middlebrooks (1995). *Natural Systems for Waste Management and Treatment* (second edition), McGraw Hill Book Co., New York, NY, 1995. [This book gives very good information on wetlands]

Reid, D. (1991). *Paris Sewers and Sewermen*, IBT Global London. [A book describing the Parisian sewer system]

Satyawali Y., Balakrishnan M. (2008) Wastewater treatment in molasses-based alcohol distilleries for COD and color removal: A review. *Journal of Environmental Management*, 86, 481-497. [This presents approaches to the study of industrial wastewater treatment]

Schafer A.I. (2001) *Natural organics removal using membranes: principles, performance, and cost*. Technomic Publishing Company, Inc., Pennsylvania, USA. [This book presents approaches to the study of the characteristics of different membranes for removal of NOM]

Shizas, I, and Bagley, D. M. (2004). Experimental determination of the energy content of unknown organics in municipal wastewater streams *ASCE. Journal of Energy Engineering*, 130(2), 45-53. [A paper describing outlining the energy content available in municipal wastewater]

Shon H.K., Vigneswaran S., Ben Aim R., Ngo H. H., Kim In S. and Cho J. (2005) Influence of flocculation and adsorption as pretreatment on the fouling of ultrafiltration and nanofiltration membranes: application with biologically treated sewage effluent. *Environmental Science & Technology*, 39, 3864-3871. [This presents approaches to the study of the influences of pretreatment methods on the fouling of UF/NF using BTSE]

Shon, H. K., Vigneswaran, S., Kim, I.S., Cho, J. and Ngo, H.H. (2004). Effect of pretreatment on the fouling of membranes: application in biologically treated sewage effluent. *Journal of Membrane Science*, 234, 111-120. [This paper discusses the capability of different physico-chemical processes in removing organic matter for Wastewater]

Shon, H.K. (2006) *Ultrafiltration and nanofiltration hybrid systems in wastewater treatment and reuse*. Thesis, Doctor of Philosophy, Faculty of Engineering, University of Technology Sydney, Australia. [This thesis provides detailed information on the physico-chemical process and membrane filtration in organic removal from wastewater]

Smith A. (2006) Nanotech – the way forward for clean water? *Filtration and Separation*, 43(8), 32-33. [This presents approaches to the study of nanotechnology applications for water treatment]

Stenekes N., Livingston D., Colebatch H. K., Waite T. D., and Ashbolt, N. J. (2004), *Sustainable water management in Australia: an institutional analysis*, In *Proceedings of Good Water Governance for People and Nature: Water Roles for Law, Institutions & Finance Conference*, Dundee, Scotland, August 29-September 2, 2004. [A paper describes institutional aspects related to water management in Australia].

Sundaravadivel, M and Vigneswaran, S (2001). Constructed Wetlands for Wastewater Treatment. *Critical Reviews in Environmental Science and Technology*, 31(4):351-409 (2001). [An excellent comprehensive review of constructed wetlands for wastewater treatment]

Suty, H., De Traversay, C. and Coste, M. (2003). Applications of advanced oxidation processes: present & future. In: *proceedings of the 3rd Conference on Oxidation Technologies for Water and Wastewater Treatment*, Goslar, Germany, May 18-22, 8. [This paper highlights the relative merits of advanced oxidation]

Tchobanoglous, G., Burton, F.L. and Stensel, H.D. (2003). *Wastewater Engineering: Treatment and Reuse*, Metcalf and Eddy, Inc., McGraw-Hill Book Company, New York. [This book details the treatment and reuse of wastewater]

Theron J., Walker J.A., Cloete T.E. (2008) *Nanotechnology and Water Treatment: Applications and Emerging Opportunities*. *Critical Reviews in Microbiology*, 34, 43-69. [This presents approaches to the application of nanotechnology for water remediation]

Thomsen, M., Lyck, E. (2005) *Emission of CH₄ and N₂O from wastewater treatment plants (6B)*. NERI Technical Notes Number 208, National Environmental Research Institute, Ministry of Environment, Denmark. [This report provides details on the green house emission estimates in wastewater treatment plants]

Ullah R., Dutta J. (2008) Photocatalytic degradation of organic dyes with manganese-doped ZnO nanoparticles. *Journal of Hazardous Materials*, 156, 194-200. [This presents approaches to the study of organic dye decomposition by manganese doped ZnO nanoparticles]

USEPA (2002) *Wastewater Technology Fact Sheet: Rock Media Polishing Filter for Lagoons*, United States Environmental Protection Agency. [This presents approaches to the study of rock media polishing filter uses and applications for Lagoons]

USEPA (2007). *Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990-2000*, Office of Policy, Planning and Evaluation, Washington, D. C., Report No. EPA-600/R-97-091. [This report provides details on the green house emission estimates in wastewater treatment plants]

Velicu, M., Fu, H., Suri, R.P.S. and Woods, K. (2007). Use of adsorption process to remove organic mercury thimerosal from industrial process wastewater. *Journal of Hazardous Materials*, 148, 599-605. [This paper highlights the use of adsorption in heavy/toxic metal removal]

Volgelpohl (2003). *Proceedings of the 3rd Conference on Oxidation Technologies for Water and Wastewater Treatment*, Goslar, Germany, May 18-22. [a good overview on advanced oxidation process]

Wang, G. S., Hsieh, S.T. and Hong, C.S. (2000). Destruction of humic acid in water by UV light - catalyzed oxidation with hydrogen peroxide. *Water Research*, 34, 3882-3887. [the paper describes the application of advanced in natural organic matter]

World Commission on Dams (2000). *Dams and Development: A New Framework For Decision Making*, United Nations. [A comprehensive review of long term impact of dams on the natural environments].

Biographical Sketches

Mr Chris Davis is a. Chris Davis is UTS's Sustainability Business Development Manager, a role he has been in since July 2007. Before taking up that position, Chris was CEO of the Australian Water Association for 15 years, having had a career in local government, consulting and process contracting for water. Chris has a BSc in Civil Engineering from the University of the Witwatersrand (Johannesburg), a Masters Degree in Civil Engineering from the University of Texas at Austin and an MBA from the University of New England. In addition to his UTS role, Chris serves on several advisory committees, panels and boards, relating to the water industry.

Dr Saravanamthu Vigneswaran has been working on water and wastewater treatment and reuse related research since 1976. During the last twenty years, he has made significant contributions in physico-chemical water treatment related processes such as filtration, flocculation, membrane-filtration and adsorption. His research activities both on new processes development and mathematical modeling are well documented in reputed international journals such as *Water Research*, *American Institute of*

Chemical Engineers Journal, Chemical Engineering Science, Journal of American Society of Civil Engineers, and Journal of Membrane Science. He has also been involved in a number of consulting activities in this field in Australia, Indonesia, France, Korea, and Thailand through various national and international agencies. He has authored two books in this field at the invitation of CRC press, USA, and has published more than 230 papers in journals and conference's proceedings. Currently a Professor of the Environmental Engineering Group at the University of Technology, Sydney, he was the founding Head of and the founding Co-ordinator of the University Key Research Strength Program in Water and Waste Management. He is coordinating the Urban Water Cycle and Water and Environmental Management of the newly established Research Institutes on Water and Environmental Resources Management and Nano-scale Technology respectively.

Dr J. Kandasamy is Senior Lecturer in the Faculty of Engineering University of Technology, Sydney, Australia. He obtained his PhD from University of Auckland., New Zealand where is also obtained his Bachelor in Civil Engineering and Masters in Civil Engineering. He has worked in the New South Wales Government as a Senior Engineer for 15 years and has wide industry knowledge.

Mr Amit Chanan is General Manager of Strategic Assets, State Water Corporation. State Water is New South Wales' rural bulk water delivery corporation, annually delivering more than 5,500GL of water to regional NSW. It manages and operates 20 dams and more than 280 weirs and regulators to deliver water for town water supplies, industry, irrigation, stock and domestic use, riparian and environmental flows. Amit is currently a Member of the International Water Association's (IWA) Australian Management Committee. In 2008 Amit was appointed by the NSW Minister for the Environment and Climate Change to the NSW Load Based Licensing Technical Review Panel. The Load-based Licensing Technical Review Panel advises the EPA on the development of site-specific emission factors and related technical issues. Amit is also a member of the NSW Government's Science Agencies Group.